

CONFIDENTIAL

OC-M-67-579

MEMORANDUM FOR: Deputy Director for Support
SUBJECT : Coordination of Antenna System Requirements at Headquarters

1. This memorandum contains a recommendation in paragraph 4 for action on your part.
2. It has recently come to our attention that several Agency components are considering the installation of new facilities at Headquarters to provide means for monitoring radio transmissions, such as broadcast activities in the commercial broadcast and international shortwave bands, local television channels, and police channels.
3. When considered on an individual basis, these installations appear to be straightforward and inexpensive. Each installation, however, consumes rooftop space, poses a potential interference problem to existing antennas, and requires the use of existing conduit distribution facilities within the building. A number of existing spare conduits will be required for distributing future secure voice circuits. It is essential, therefore, that the use of these conduits for other purposes be carefully evaluated.
4. It is recommended that a reviewing authority be established to coordinate all requirements for antenna installations and utilization of related distribution facilities at Headquarters.

[Redacted]
Director of Communications

Distribution:

Orig & 2 - Adse	1 - OC-OS	1 - OC-E
1 - OC-T	1 - OL/LSD/SA&FB	1 - AES File
1 - OC-S	1 - OC-RMS	(1) AES Chrono

ORIG: OC-E/ESE/
Rewritten: DD/C [Redacted] (11 Aug 67)
(15 Aug 67)

Coordination:

S [Redacted]

Seen
OC-S

Seen
WJY
OC-OS

25X1

25X1

25X1

CONFIDENTIAL